SafeFood Laboratories Åɇ Ůc. ƺ ɟ6. 53321 ÅCY-3302 Åş Ůɛ Ůů ŋg ÅƵi ´ ɟ ɵg
ƺ ŮűűŮɵg 14 Åɗɵɵɛ. ƕŮɟ ş ɵɑ ɛ ɯ ɟ ɔ ɵg ɟ ɗŮɜŮůɵg ÅCY-4104 Åş Ůɛ Ůů ŋg ÅƵi ´ ɟ ɵg
ɇ ɗ ɵ ɔ: +357 25 82 35 00 Åū Ůɔ: +357 25 82 35 01 ÅEmail: info@sfl.com.cy Åwww.safefoodlabs.com

ɟ ɟ . ƕ ş ů Ű: L026
Ay ɔ Ű ů Ű ɛ ɟ ş ɵ ɑ ɔ ə ş ɛ ɯ ɜ

ƕ Ł Ɇ ɇ Ƀ Ʉ Ƀ Ł ₵ ɇ Ł Ƶ Ƀ ɟ ʔ ɟ ş ɟ Ɇ ₵ Ɇ

Ipsonas Municipal Council
83 Archbishop Makarios III Avenue, CY-4181,
Ipsonas, Cyprus.

ɇ ɗ ɔ: 25 395 600
ū Ůɔ: 25 392 595 E-mail: demosipsona@cytanet.com.cy

ɟ ɟ . ƕ ů Ű ɛ ´ ɵ ɗ [Ű ə ɵ ɛ i	:	**45060**
ɟ ɟ . Ō ə ŭ ɛ ů ɗ ɡ	:	1
ɟ ɟ . Ⱥ ɜ Ű ɛ ə ɐ ɇ ɡ ɋ ů ɒ ɛ .	:	2020/45060
₵ ɛ / ɜ ɗ Ů ƕ Ů ɟ Ů ə Ů ɒ ɐ ɡ	:	02/04/2020
Ō ɜ Ů ɟ ɜ ɗ ɟ ɜ Ɏ ə g ů ɗ ɡ	:	03/04/2020
ƕ Ů ɟ Ɏ Ű ɤ ů ɗ ɟ ɜ Ɏ ə g ů ɗ ɡ	:	06/04/2020
₵ ɛ / ɜ ɗ Ů Ō ə ŭ ɛ ů ɗ ɡ	:	06/04/2020

ɇ Ů g Ű Ű Ů ɋ ů ɒ ɛ Ů Ű ɛ g	:	**WATER - POTABLE**	ƺ ɣ ɗ ɛ ŭ ɛ g ɋ ů ɒ ɛ / ɣ ɗ Ů g : Instant (single shot)
ɇ ŋ ´ ɛ g ɋ ů ɒ ɛ / ɣ ɗ Ů g	:	[1] WATER TAP - PRIMARY SCHOOL ũ'	ƺ Ű Ű Ű ű ɛ ɟ Ɏ ɋ ů ɒ ɛ . : Lab Staff
Ɇ ɗ ɛ Ů ɑ ɛ ɋ ů ɒ ɛ / ɣ ɗ Ů g	:		Ɇ g ů ə Ů g Ů ŭ ɗ Ů ɋ ů ɒ ɛ . : HDPE Bottle sodium thiosulphate 500ml
ɋ ů ɒ ɛ Ů Ű ɛ ə ɗ ɣ ɗ Ů Ű ŋ	:	Lab Staff	Ɇ g ɜ Ű ɛ ɟ ɗ ů ɗ ɋ ů ɒ ɛ . : Refrigerator
			Ƶ Ű Ű ů Ű Ű ů ɗ ɋ ů ɒ ɛ . : Excellent (5 Ñ3ÁC)

ȳ ə Ů Ű Ű Ů ɛ Ű Ů ɘ ɣ ů ɛ Ů Ű Ű Ű ɤ ɜ ƺ ɘ ɵ ɟ ɛ ɒ ɘ ɛ ɔ ɘ ɒ ɪ ɜ ɟ ɜ Ů ə ɨ ů Ů ɤ ɜ / ɋ ɒ ə ɘ ɛ ɪ ɜ Ů Ű ɛ ɟ ɛ ɨ ɜ ɛ ɗ Ů ɘ ɒ Ů ɔ ɘ ɤ ɛ ɣ ɜ Ů g (Presumptive) ɛ Ů Ű ɟ ɐ ů ɔ g ů ə Ű ŋ g Ů Ɏ ɜ ů ɗ ɛ Ů ɯ ɜ ɛ ɜ Ű Ű ɔ ɜ Ů ə Ɏ ɗ Ů Ű ɟ Ů ɤ g Ⱥ ´ ɔ ɒ Ů ɔ ɘ ɤ ɛ ɣ ɜ Ů g.

ƺ ɘ ɵ ɟ ɛ ɒ ɘ ɛ ɔ ɘ ɔ ɘ ɐ ɟ ɜ Ɏ ə g ů ɗ ɡ				
Ɏ Ů ŋ Ɏ ɛ Ů Ű ɟ ɛ g ɟ ɜ Ɏ ə g ů ɗ ɡ	**ŋ ´ ɛ Ű ɣ ə ů ɪ ɛ Ů / ƺ ɛ ɜ Ɏ ŭ Ů g**	**ȳ ɟ ɘ Ů Ɏ ů ə Ɏ Ű ɗ**	**ƺ ɣ ɗ ɛ ŭ ɛ g**	
Ƶ Ű Ű ɛ ɣ Ű ŋ ɗ ů ɗ ɋ ů ɛ g ů g ɜ ŋ ə g Ű ɤ ɜ Ů Ű ŋ ŋ b ɘ ɤ ɜ ɛ ɘ ɟ ɛ g ɟ ɔ Ů ɜ ů ɛ ɪ ɜ ů Ű ɛ g g ɗ 22Á	37 cfu/ml	< 100	WT SFL 01	*
Ƶ Ű Ű ɛ ɣ Ű ŋ ɗ ů ɗ ɋ ů ɛ g ů g ɜ ŋ ə g Ű ɤ ɜ Ů Ű ŋ ŋ b ɘ ɤ ɜ ɛ ɘ ɟ ɛ g ɟ ɔ Ů ɜ ů ɛ ɪ ɜ ů Ű ɛ g g ɗ 37Á	18 cfu/ml	< 20	WT SFL 01	*
ɟ ɜ ɔ ɜ Ů g ů ɗ ɋ ə Ů ɜ Ű Ű ɛ ɣ Ű ŋ ɗ ů ɗ ɋ ɛ ə ɘ ɪ ɜ ə ɛ ə ɒ Ů ɜ Ű ŋ ɟ ɤ ɛ Ů g ů ɪ ɜ	ND cfu/100ml	0	WT SFL 02P	*
ɟ ɜ ɔ ɜ Ů g ů ɗ ɋ ə Ů ɜ Ű Ű ɛ ɣ Ű ŋ ɗ ů ɗ ɋ Ű ŋ g Escherichia coli	ND cfu/100ml	0	WT SFL 03P	*
ɟ ɜ ɔ ɜ Ů g ů ɗ ɋ ə Ů ɜ Ű Ű ɛ ɣ Ű ŋ ɗ ů ɗ ɋ Ű ɤ ɜ ə ɛ ´ ɟ Ů ɜ ɤ ů ɪ ɜ Ů ɜ Ű Ű ŋ ɛ ə ɟ ə ɘ ɤ ɜ	ND cfu/100ml	0	WT SFL 06P	*
ɟ ɜ ɔ ɜ Ů g ů ɗ ɋ ə Ů ɜ Ű Ű ɛ ɣ Ű ŋ ɗ ů ɗ ɋ Ű ŋ g Pseudomonas aeruginosa	ND cfu/100ml	0	WT SFL 05P	*

Ƀ ə Ů ɜ Ů ə ɨ ů ɒ g / ŭ ɛ ə ɛ ɣ g ´ ɛ g ů ɗ ɛ Ů ɯ ɜ ɛ ɜ Ű Ů ɜ ɛ Ů * ´ Ů ŋ ɘ ɔ Ů ɛ ɓ Ɏ ɜ ɛ ɜ Ű Ů ɜ ů Ű ɛ ɘ ů ɔ ɨ ɤ ɜ Ɏ Ů ɪ ɛ Ⱥ ú Ů ŋ ɛ ɔ ɘ g Ű ŋ g ɋ ɒ Ů ů Ű ů ů ɗ g Ű ɛ g Ay ɔ Ű ů Ű ŋ ɛ g
ND = ɋ ů ɜ ɟ ɜ ɛ ɔ ů ɗ ə Ů (Not Detected)
cfu = ɟ ɤ ɛ ŋ g ɟ ´ ɛ ɘ ɯ ɜ (Colony Forming Units)

É Copyright SafeFood Laboratories and ALS Laboratory Group, 2020. All rights reserved.

SafeFood Laboratories [illegible] 53321 [illegible] CY-3302 [illegible]
[illegible] 14 [illegible] CY-4104 [illegible]
[illegible]: +357 25 82 35 00 [illegible]: +357 25 82 35 01 Email: info@sfl.com.cy www.safefoodlabs.com

[illegible]: L026
[illegible]

[illegible]	**:**	**45060**
[illegible]	:	1

[illegible]

[illegible] 98/83/EC [illegible] [+]

[illegible]

[illegible]

[illegible]

[+] [illegible] 98/83/EC [illegible]

© Copyright SafeFood Laboratories and ALS Laboratory Group, 2020. All rights reserved.

SafeFood Laboratories [illegible] 53321 [illegible] CY-3302 [illegible]
[illegible] 14 [illegible] CY-4104 [illegible]
[illegible]: +357 25 82 35 00 [illegible]: +357 25 82 35 01 Email: info@sfl.com.cy www.safefoodlabs.com

[illegible]: L026

[illegible]	**:**	**45060**
[illegible]	:	1

[illegible]

[illegible]

[illegible] ISO 17025 [illegible] ISO 17025 [illegible]

[illegible]

[illegible]

[illegible]
MPhil, PhD (Surrey)
[illegible]
[illegible] SafeFood Laboratories

© Copyright SafeFood Laboratories and ALS Laboratory Group, 2020. All rights reserved.